Printing date 30.11.2021

Safety data sheet

according to 1907/2006/EC, Article 31



Version number 3 (replaces version 2)

Revision: 30.11.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: **ARA DURASIL® M Plus** SDB-Nr.:001-035-00176 · 1.2 Relevant identified uses of the substance or mixture and No further relevant information available. uses advised against · Application of the substance / the Construction chemicals mixture Silicate sealing 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: ARA Chemie GmbH Tel.: +49 (0) 2262-71717-0 Weiershagener Straße 18 e-mail: msds@ara-chemie.de 51674 Wiehl · Further information obtainable see manufacturer / supplier from: 1.4 Emergency telephone Informationszentrale gegen Vergiftungen number: Universitätsklinikum Bonn Tel. 0228-19240 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation. · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void · Hazard-determining components of labelling: Not applicable. · Hazard statements Void · Additional information: Products treated with biocide OIT (CAS 26530-20-1). Safety data sheet available on request. · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. **SECTION 3: Composition/information on ingredients** · 3.2 Mixtures · Description: Sealant Mixture: consisting of the following components. water Dangerous components: CAS: 37859-55-5 O, O', O" -(methylsilylidyne)trioxime 2-pentanone 0-5% ELINCS: 484-460-1 Acute Tox. 4, H302; Eye Irrit. 2, H319 Reg.nr.: 01-2120004323-76-xxxx For the wording of the listed hazard phrases refer to section 16. Additional information: (Contd. on page 2) GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 3 (replaces version 2)

SDB-Nr.:001-035-00176	
	(Contd. of pa
SECTION 4: First aid measures	
4.1 Description of first aid measured	ures
General information:	Take affected persons out of danger area and lay down.
After inhalation:	Seek medical treatment.
After skin contact:	Supply fresh air; consult doctor in case of complaints. Rinse with warm water.
<u>rator otan contact.</u>	If skin irritation continues, consult a doctor.
After eye contact:	Rinse opened eye for several minutes under running water. If symptoms per
After evallowing:	consult a doctor. Rinse out mouth and then drink plenty of water.
After swallowing:	Seek medical treatment.
4.2 Most important symptoms	
and effects, both acute and	
delayed	Allergic reactions
4.3 Indication of any immediate medical attention and special	
treatment needed	No further relevant information available.
SECTION 5: Firefighting measur	es
5.1 Extinguishing media	
Suitable extinguishing agents:	CO2, powder or water spray. Fight larger fire with alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.
For safety reasons unsuitable	Ose file excliguishing methods suitable to surrounding conditions.
extinguishing agents:	Water with full jet
5.2 Special hazards arising from	
the substance or mixture	Under certain fire conditions, traces of other toxic gases cannot be exclude
	e.g.: Carbon monoxide (CO)
	Nitrogen oxides (NOx)
	Siliziumoxide
5.2 Advice for firefighters	Formaldehyde
5.3 Advice for firefighters Protective equipment:	Wear self-contained respiratory protective device.
roteouve equipment.	Do not inhale explosion gases or combustion gases.
Additional information	Dispose of fire debris and contaminated fire fighting water in accordance
	official regulations.
	Cool endangered receptacles with water spray.
SECTION 6: Accidental release n	neasures
6.1 Personal precautions,	
protective equipment and	
emergency procedures	Ensure adequate ventilation Wear protective clothing.
6.2 Environmental precautions:	Keep contaminated washing water and dispose of appropriately.
	Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for	, and the second s
containment and cleaning up:	Allow to solidify. Pick up mechanically.
	Send for recovery or disposal in suitable receptacles. Absorb with liquid-binding material (sand, diatomite, acid binders, unive
	binders, sawdust).
6.4 Reference to other sections	See Section 7 for information on safe handling.
	See Section 8 for information on personal protection equipment.
	(Contd. on page

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 3 (replaces version 2)

Revision: 30.11.2021

	ARA DURASIL® M P SDB-Nr.:001-035-001		
		See Section 13 for disposal information.	(Contd. of page 2
SECTION	7: Handling and stor	rage	
· 7.1 Preca	utions for safe		
handling		Use only in well ventilated areas.	
	n about fire - and	N	
	protection:	No special measures required.	
	itions for safe storage	e, including any incompatibilities	
· <u>Storage:</u>	ents to be met by		
	is and receptacles:	Store only in the original receptacle. Prevent any seepage into the ground.	
· Informatio	n about storage in one		
	storage facility:	VCI-Konzept für die Zusammenlagerung von Chemikalien Store away from foodstuffs. Store away from oxidising agents.	beachten.
	formation about storag	e	
conditions		Protect from frost.	
 Storage cl 7.3 Specification 	lass: fic end use(s)	11 For application profile please refer to applicable section	within the "Technic
<u>7.5 Opeci</u>		Data Sheet"	
workplace			
·DNELs	<u>.</u>	The product does not contain any relevant quantities of values that have to be monitored at the workplace.	materials with critica
DNELs	_		materials with critica
DNELs	-5 O, O', O'' -(methyls	values that have to be monitored at the workplace.	materials with critica
<u>DNELs</u> 37859-55-	- 5 O, O', O'' -(methyls DNEL (Langzeit-wied	values that have to be monitored at the workplace. ilylidyne)trioxime 2-pentanone	materials with critica
<u>DNELs</u> 37859-55- Oral	- 5 O, O', O'' -(methyls DNEL (Langzeit-wied	values that have to be monitored at the workplace. ilylidyne)trioxime 2-pentanone erholt) 0.033 mg/kg bw/day (BEV)	materials with critica
DNELs 37859-55- Oral Dermal	- 5 O, O', O'' -(methyls DNEL (Langzeit-wied	values that have to be monitored at the workplace. ilylidyne)trioxime 2-pentanone erholt) 0.033 mg/kg bw/day (BEV) derholt) 0.065 mg/kg bw/day (ARB) 0.033 mg/kg bw/day (BEV)	materials with critic
DNELs 37859-55- Oral Dermal	- 5 O, O', O'' -(methyls DNEL (Langzeit-wied DNEL (Langzeit-wied	values that have to be monitored at the workplace. ilylidyne)trioxime 2-pentanone erholt) 0.033 mg/kg bw/day (BEV) derholt) 0.065 mg/kg bw/day (ARB) 0.033 mg/kg bw/day (BEV)	materials with critic
DNELs 37859-55- Oral Dermal	- 5 O, O', O'' -(methyls DNEL (Langzeit-wied DNEL (Langzeit-wied	values that have to be monitored at the workplace. ilylidyne)trioxime 2-pentanone erholt) 0.033 mg/kg bw/day (BEV) derholt) 0.065 mg/kg bw/day (ARB) 0.033 mg/kg bw/day (BEV) erholt) 0.2292 mg/m³ Air (ARB)	materials with critic
• <u>DNELs</u> 37859-55- Oral Dermal Inhalative	- 5 O, O', O'' -(methyls DNEL (Langzeit-wied DNEL (Langzeit-wied DNEL (Langzeit-wied	values that have to be monitored at the workplace. ilylidyne)trioxime 2-pentanone erholt) 0.033 mg/kg bw/day (BEV) derholt) 0.065 mg/kg bw/day (ARB) 0.033 mg/kg bw/day (BEV) erholt) 0.2292 mg/m³ Air (ARB)	materials with critica
• <u>DNELs</u> 37859-55 - Oral Dermal Inhalative • <u>PNECs</u> 37859-55 -	- 5 O, O', O'' -(methyls DNEL (Langzeit-wied DNEL (Langzeit-wied DNEL (Langzeit-wied - 5 O, O', O'' -(methyls assrig) 2.15 mg/l (KA)	values that have to be monitored at the workplace. ilylidyne)trioxime 2-pentanone erholt) 0.033 mg/kg bw/day (BEV) derholt) 0.065 mg/kg bw/day (ARB) 0.033 mg/kg bw/day (BEV) erholt) 0.2292 mg/m³ Air (ARB) 0.057 mg/m³ Air (BEV) ilylidyne)trioxime 2-pentanone	materials with critica
<u>DNELs</u> 37859-55- Oral Dermal Inhalative <u>PNECs</u> 37859-55-	-5 O, O', O'' -(methyls DNEL (Langzeit-wied DNEL (Langzeit-wied DNEL (Langzeit-wied -5 O, O', O'' -(methyls assrig) 2.15 mg/l (KA) 0.01 mg/l (MW	values that have to be monitored at the workplace. ilylidyne)trioxime 2-pentanone erholt) 0.033 mg/kg bw/day (BEV) derholt) 0.065 mg/kg bw/day (ARB) 0.033 mg/kg bw/day (BEV) erholt) 0.2292 mg/m³ Air (ARB) 0.057 mg/m³ Air (BEV) ilylidyne)trioxime 2-pentanone	materials with critic
• <u>DNELs</u> 37859-55 - Oral Dermal Inhalative • <u>PNECs</u> 37859-55 - PNEC (wä	-5 O, O', O'' -(methyls DNEL (Langzeit-wied DNEL (Langzeit-wied DNEL (Langzeit-wied -5 O, O', O'' -(methyls assrig) 2.15 mg/l (KA) 0.01 mg/l (MW 0.1 mg/l (SW)	values that have to be monitored at the workplace. ilylidyne)trioxime 2-pentanone erholt) 0.033 mg/kg bw/day (BEV) derholt) 0.065 mg/kg bw/day (ARB) 0.033 mg/kg bw/day (BEV) erholt) 0.2292 mg/m³ Air (ARB) 0.057 mg/m³ Air (BEV) ilylidyne)trioxime 2-pentanone	materials with critic
<u>DNELs</u> 37859-55- Oral Dermal Inhalative <u>PNECs</u> 37859-55-	-5 O, O', O'' -(methyls DNEL (Langzeit-wied DNEL (Langzeit-wied DNEL (Langzeit-wied -5 O, O', O'' -(methyls assrig) 2.15 mg/l (KA) 0.01 mg/l (SW) 0.057 mg/kg Tu	values that have to be monitored at the workplace. ilylidyne)trioxime 2-pentanone erholt) 0.033 mg/kg bw/day (BEV) derholt) 0.065 mg/kg bw/day (ARB) 0.033 mg/kg bw/day (BEV) erholt) 0.2292 mg/m³ Air (ARB) 0.057 mg/m³ Air (BEV) ilylidyne)trioxime 2-pentanone) rockengew (MWS)	materials with critic
 <u>DNELs</u> 37859-55- Oral Dermal Inhalative <u>PNECs</u> 37859-55- PNEC (wä PNEC (fest 	-5 O, O', O'' -(methyls DNEL (Langzeit-wied DNEL (Langzeit-wied DNEL (Langzeit-wied -5 O, O', O'' -(methyls assrig) 2.15 mg/l (KA) 0.01 mg/l (MW 0.1 mg/l (SW) st) 0.057 mg/kg Tr 0.269 mg/kg Tr	values that have to be monitored at the workplace. ilylidyne)trioxime 2-pentanone erholt) 0.033 mg/kg bw/day (BEV) derholt) 0.065 mg/kg bw/day (ARB) 0.033 mg/kg bw/day (BEV) erholt) 0.2292 mg/m³ Air (ARB) 0.057 mg/m³ Air (BEV) ilylidyne)trioxime 2-pentanone) rockengew (MWS) rockengew (SWS)	materials with critic
 <u>DNELs</u> 37859-55- Oral Dermal Inhalative <u>PNECs</u> 37859-55- PNEC (wä PNEC (fest 	-5 O, O', O'' -(methyls DNEL (Langzeit-wied DNEL (Langzeit-wied DNEL (Langzeit-wied -5 O, O', O'' -(methyls assrig) 2.15 mg/l (KA) 0.01 mg/l (SW) 0.057 mg/kg Tu	values that have to be monitored at the workplace. ilylidyne)trioxime 2-pentanone erholt) 0.033 mg/kg bw/day (BEV) derholt) 0.065 mg/kg bw/day (ARB) 0.033 mg/kg bw/day (BEV) erholt) 0.2292 mg/m³ Air (ARB) 0.057 mg/m³ Air (BEV) ilylidyne)trioxime 2-pentanone) rockengew (MWS)	materials with critica
 <u>DNELs</u> 37859-55- Oral Dermal Inhalative <u>PNECs</u> 37859-55- PNEC (wä PNEC (festional <u>Additional</u> 8.2 Expose 	-5 O, O', O'' -(methyls DNEL (Langzeit-wied DNEL (Langzeit-wied DNEL (Langzeit-wied -5 O, O', O'' -(methyls assrig) 2.15 mg/l (KA) 0.01 mg/l (KW) 0.1 mg/l (SW) st) 0.057 mg/kg Tr 0.269 mg/kg Tr information: sure controls	values that have to be monitored at the workplace. ilylidyne)trioxime 2-pentanone erholt) 0.033 mg/kg bw/day (BEV) derholt) 0.065 mg/kg bw/day (ARB) 0.033 mg/kg bw/day (BEV) erholt) 0.2292 mg/m³ Air (ARB) 0.057 mg/m³ Air (BEV) ilylidyne)trioxime 2-pentanone) rockengew (MWS) rockengew (SWS) The lists valid during the making were used as basis.	materials with critica
 <u>DNELs</u> 37859-55- Oral Dermal Inhalative <u>PNECs</u> 37859-55- PNEC (wä PNEC (festional <u>Additional</u> <u>8.2 Expos</u> 	-5 O, O', O'' -(methyls DNEL (Langzeit-wied DNEL (Langzeit-wied DNEL (Langzeit-wied DNEL (Langzeit-wied -5 O, O', O'' -(methyls assrig) 2.15 mg/l (KA) 0.01 mg/l (KW) 0.1 mg/l (SW) 0.057 mg/kg Tr 0.269 mg/kg Tr 0.269 mg/kg Tr information: sure controls te engineering controls	values that have to be monitored at the workplace. ilylidyne)trioxime 2-pentanone erholt) 0.033 mg/kg bw/day (BEV) derholt) 0.065 mg/kg bw/day (ARB)	materials with critica
 <u>DNELs</u> 37859-55 Oral Dermal Inhalative <u>PNECs</u> 37859-55 PNEC (wä PNEC (festional <u>Additional</u> <u>8.2 Expose</u> Appropriat Individual 	-5 O, O', O'' -(methyls DNEL (Langzeit-wied DNEL (Langzeit-wied DNEL (Langzeit-wied DNEL (Langzeit-wied -5 O, O', O'' -(methyls assrig) 2.15 mg/l (KA) 0.01 mg/l (KW) 0.1 mg/l (SW) st) 0.057 mg/kg Tr 0.269 mg/kg Tr 0.269 mg/kg Tr information: sure controls te engineering controls protection measures, s	values that have to be monitored at the workplace. ilylidyne)trioxime 2-pentanone erholt) 0.033 mg/kg bw/day (BEV) derholt) 0.065 mg/kg bw/day (ARB) 0.033 mg/kg bw/day (BEV) erholt) 0.2292 mg/m³ Air (ARB) 0.057 mg/m³ Air (BEV) ilylidyne)trioxime 2-pentanone) rockengew (MWS) rockengew (SWS) The lists valid during the making were used as basis.	materials with critic
 <u>DNELs</u> 37859-55 Oral Dermal Inhalative <u>PNECs</u> 37859-55 PNEC (wä PNEC (festional <u>Additional</u> <u>8.2 Expose</u> Appropriat Individual 	-5 O, O', O'' -(methyls DNEL (Langzeit-wied DNEL (Langzeit-wied DNEL (Langzeit-wied DNEL (Langzeit-wied -5 O, O', O'' -(methyls assrig) 2.15 mg/l (KA) 0.01 mg/l (KW) 0.1 mg/l (SW) 0.057 mg/kg Tr 0.269 mg/kg Tr 0.269 mg/kg Tr 0.269 mg/kg Tr 0.269 mg/kg Tr information: sure controls te engineering controls protection measures, s rotective and hygienic	values that have to be monitored at the workplace. ilylidyne)trioxime 2-pentanone erholt) 0.033 mg/kg bw/day (BEV) derholt) 0.065 mg/kg bw/day (ARB) 0.033 mg/kg bw/day (BEV) erholt) 0.2292 mg/m³ Air (ARB) 0.057 mg/m³ Air (BEV) ilylidyne)trioxime 2-pentanone) rockengew (MWS) rockengew (SWS) The lists valid during the making were used as basis. So No further data; see item 7. Such as personal protective equipment The usual precautionary measures are to be adhered	
 <u>DNELs</u> 37859-55- Oral Dermal Inhalative <u>PNECs</u> 37859-55- PNEC (wä PNEC (festional <u>8.2 Expose</u> <u>Appropriat</u> <u>Individual</u> <u>General p</u> 	-5 O, O', O'' -(methyls DNEL (Langzeit-wied DNEL (Langzeit-wied DNEL (Langzeit-wied DNEL (Langzeit-wied -5 O, O', O'' -(methyls assrig) 2.15 mg/l (KA) 0.01 mg/l (KW) 0.1 mg/l (SW) 0.057 mg/kg Tr 0.269 mg/kg Tr 0.269 mg/kg Tr 0.269 mg/kg Tr 0.269 mg/kg Tr information: sure controls te engineering controls protection measures, s rotective and hygienic	values that have to be monitored at the workplace. ilylidyne)trioxime 2-pentanone erholt) 0.033 mg/kg bw/day (BEV) derholt) 0.065 mg/kg bw/day (ARB)	
 <u>DNELs</u> 37859-55- Oral Dermal Inhalative <u>PNECs</u> 37859-55- PNEC (wä PNEC (festional <u>8.2 Expose</u> Appropriat Individual General p 	-5 O, O', O'' -(methyls DNEL (Langzeit-wied DNEL (Langzeit-wied DNEL (Langzeit-wied DNEL (Langzeit-wied -5 O, O', O'' -(methyls assrig) 2.15 mg/l (KA) 0.01 mg/l (KW) 0.1 mg/l (SW) 0.057 mg/kg Tr 0.269 mg/kg Tr 0.269 mg/kg Tr 0.269 mg/kg Tr 0.269 mg/kg Tr information: sure controls te engineering controls protection measures, s rotective and hygienic	values that have to be monitored at the workplace. ilylidyne)trioxime 2-pentanone erholt) 0.033 mg/kg bw/day (BEV) derholt) 0.065 mg/kg bw/day (ARB) 0.033 mg/kg bw/day (BEV) erholt) 0.2292 mg/m³ Air (ARB) 0.057 mg/m³ Air (BEV) ilylidyne)trioxime 2-pentanone) rockengew (MWS) rockengew (SWS) The lists valid during the making were used as basis. So further data; see item 7. Such as personal protective equipment The usual precautionary measures are to be adhered chemicals. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed.	
 <u>DNELs</u> 37859-55- Oral Dermal Inhalative <u>PNECs</u> 37859-55- PNEC (wä PNEC (festional <u>8.2 Expose</u> <u>Appropriat</u> <u>Individual</u> <u>General p</u> 	-5 O, O', O'' -(methyls DNEL (Langzeit-wied DNEL (Langzeit-wied DNEL (Langzeit-wied DNEL (Langzeit-wied -5 O, O', O'' -(methyls assrig) 2.15 mg/l (KA) 0.01 mg/l (KW) 0.1 mg/l (SW) 0.057 mg/kg Tr 0.269 mg/kg Tr 0.269 mg/kg Tr 0.269 mg/kg Tr 0.269 mg/kg Tr information: sure controls te engineering controls protection measures, s rotective and hygienic	values that have to be monitored at the workplace. ilylidyne)trioxime 2-pentanone erholt) 0.033 mg/kg bw/day (BEV) derholt) 0.065 mg/kg bw/day (ARB) 0.033 mg/kg bw/day (BEV) 0.2292 mg/m³ Air (ARB) 0.057 mg/m³ Air (BEV) ilylidyne)trioxime 2-pentanone) rockengew (MWS) rockengew (SWS) The lists valid during the making were used as basis. No further data; see item 7. such as personal protective equipment The usual precautionary measures are to be adhered chemicals. Wash hands before breaks and at the end of work.	

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 3 (replaces version 2)

Trade name: ARA DURASIL® M Plus SDB-Nr.:001-035-00176	
	(Contd. of page 3)
· Respiratory protection:	Not necessary if room is well-ventilated.
	Short term filter device: Filter A/P2
· Hand protection	Preventive skin protection by use of skin-protecting agents is recommended.
	After use of gloves apply skin-cleaning agents and skin cosmetics.
	The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	Due to missing tests no recommendation to the glove material can be given for
	the product/ the preparation/ the chemical mixture.
	Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· Material of gloves	diffusion and the degradation Butyl rubber, BR
	Chloroprene rubber, CR
	Nitrile rubber, NBR
	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
	As the product is a preparation of several substances, the resistance of the glove
	material can not be calculated in advance and has therefore to be checked prior
· Penetration time of glove material	to the application. The determined penetration times according to EN 16523-1:2015 are not
	performed under practical conditions. Therefore a maximum wearing time, which
	corresponds to 50% of the penetration time, is recommended.
	Value for the permeation: Level \leq 6;480min The exact break trough time has to be found out by the manufacturer of the
	protective gloves and has to be observed.
For the permanent contact gloves	
made of the following materials are suitable:	Putid subhas BD
· As protection from splashes gloves	Butyl rubber, BR
made of the following materials are	
suitable:	Nitrile rubber, NBR
	Butoject (KCL, Art_No. 897, 898) Camapren (KCL, Art_No. 720, 722, 726)
	Butyl rubber, BR
Not suitable are gloves made of	•
the following materials:	Strong material gloves
· Eye/face protection	Leather gloves Goggles recommended during refilling
· Body protection:	Impervious protective clothing
SECTION 9: Physical and chemic	al properties
9.1 Information on basic physical	and chemical properties

General Information	
· Colour:	According to product specification
· Odour:	Specific type
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	Undetermined.
· Flammability	Not applicable.
 Lower and upper explosion limit 	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Auto-ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
	(Contd. on page 5)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 3 (replaces version 2)

Revision: 30.11.2021

Trade name: ARA DURASIL® M Plus SDB-Nr.:001-035-00176

		(Contd. of page 4)
· <u>pH</u>	Not determined.	
· Viscosity:	Not applicable.	
· Kinematic viscosity at 40 °C	>20.5 mm²/s	
· Dynamic:	Not determined.	
· Solubility	Not applicable.	
· water:	Not miscible or difficult to mix.	
	Insoluble.	
Partition coefficient n-octanol/water (lo		
· <u>Vapour pressure:</u>	Not determined. Not applicable.	
· Density and/or relative density		
· Density at 20 °C:	1.03-1.24 g/cm ³	
· Relative density · Vapour density	Not determined. Not determined.	
	Not determined.	
 <u>9.2 Other information</u> Appearance: 		
· Form:	Paste	
· Important information on protection	of health and	
environment, and on safety.	Draduat daga not propert on evaluation becars	
· Explosive properties: · Solvent content:	Product does not present an explosion hazard	l.
· Solids content:	100.0 %	
· Change in condition		
· <u>Evaporation rate</u>	Not determined.	
Information with regard to physical ha	zard classes	
· <u>Explosives</u>	bid	
· Flammable gases		
, v	-14	
· Aerosols	bid	
	bid	
· Oxidising gases		
V · Gases under pressure	pid	
	bid	
· <u>Flammable liquids</u>		
V	bid	
· <u>Flammable solids</u>		
V · Self-reactive substances and mixtures	pid	
· Pyrophoric liquids	pid	
	bid	
· Pyrophoric solids		
V	bid	
· · · ·		(Contd. on page 6)
		(22 0.1 page 0)

GB

*

Safety data sheet according to 1907/2006/EC, Article 31

CCORD to 1907/2006/EC, Article 3 Version number 3 (replaces version 2)

Printing date 30.11.2021

Revision: 30.11.2021

ade name: ARA DURASIL® M Plus SDB-Nr.:001-035-00176	
	(Contd. of page
· Self-heating substances and mixtu	res
	Void
· <u>Substances and mixtures, which</u> gases in contact with water	emit flammable
gases in contact with water	
	Void
· <u>Oxidising liquids</u>	Void
· Oxidising solids	
· Organic peroxides	Void
Organic peroxides	
· Corrosive to metals	Void
· Desensitised explosives	Void
Desensation explosites	
	Void
SECTION 10: Stability and reaction	vity
 <u>10.1 Reactivity</u> <u>10.2 Chemical stability</u> 	Stable under recommended transport or storage conditions
· Thermal decomposition /	
conditions to be avoided:	No decomposition if used and stored according to specifications.
 <u>10.3 Possibility of hazardous</u> reactions 	Reacts with strong oxidising agents.
	Toxic fumes may be released if heated above the decomposition point.
· 10.4 Conditions to avoid	Heat, flames and other sources of ignition moisture
· 10.5 Incompatible materials:	strong oxidizing agents
• <u>10.6 Hazardous decomposition</u> products:	Small quantities of formaldehyde may be formed
	Small quantities of formaldenyde may be formed
SECTION 11: Toxicological infor	mation
· 11.1 Information on hazard class	ses as defined in Regulation (EC) No 1272/2008
· Acute toxicity	Based on available data, the classification criteria are not met.
· LD/LC50 values relevant for classi	fication:
ATE (Acute Toxicity Estimates) Oral LD50 >10,000-50,000 mg/kg	
37859-55-5 O, O', O'' -(methylsily	
Oral LD50 500 mg/kg (ATE)	
· Primary irritant effect:	Do not get in eyes, on skin, or on clothing.
· <u>Skin corrosion/irritation</u>	Based on available data, the classification criteria are not met.
 Serious eye damage/irritation Respiratory or skin sensitisation 	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.
· Germ cell mutagenicity	Based on available data, the classification criteria are not met.
· Carcinogenicity	Based on available data, the classification criteria are not met.
· Reproductive toxicity	Based on available data, the classification criteria are not met.
· STOT-single exposure	Based on available data, the classification criteria are not met.
	(Contd. on page

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

14.6 Special precautions for user

Version number 3 (replaces version 2)

0	
ade name: ARA DURASIL® M Plus SDB-Nr.:001-035-00176	
	(Contd. of page
· STOT-repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
11.2 Information on other hazard	
Endocrine disrupting properties	
None of the ingredients is listed.	
None of the ingredients is instea.	
SECTION 12: Ecological informa	ation
<u>12.1 Toxicity</u>	
Aquatic toxicity:	No further relevant information available.
12.2 Persistence and	
degradability	Not easily biodegradable
12.3 Bioaccumulative potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
12.5 Results of PBT and vPvB as	
PBT:	Not applicable.
vPvB:	Not applicable.
12.6 Endocrine disrupting	· · · · · · · · · · · · · · · · · · ·
properties	The product does not contain substances with endocrine disrupting properties.
12.7 Other adverse effects	The product does not contain substances with endocrine disrupting properties.
Additional ecological information:	Do not allow product to reach provid water water
General notes:	Do not allow product to reach ground water, water course or sewage system.
	Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardo
	for water
SECTION 13: Disposal consideration	Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authoriti and adhering to the necessary technical regulations. Smaller quantities can be disposed of with household waste.
Uncleaned packaging: Recommendation:	Empty contaminated packagings thoroughly. They may be recycled aft thorough and proper cleaning.
SECTION 14: Transport information	tion
14.1 UN number or ID number	
ADR, IMDG, IATA	Void
14.2 UN proper shipping name	
ADR, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Decking group	
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No

Not applicable.

(Contd. on page 8) GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021

Version number 3 (replaces version 2)

Revision: 30.11.2021

SDB-Nr.:001-035-00176	
	(Contd. of page
· 14.7 Maritime transport in bulk a	
instruments	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void
SECTION 15: Regulatory informa	ition
	ental regulations/legislation specific for the substance or mixture
· Directive 2012/18/EU	
· Named dangerous substances -	
<u>ANNEX I</u>	None of the ingredients is listed.
· National regulations:	
\cdot Information about limitation of use:	Employment restrictions concerning pregnant and lactating women mus
	observed. Employment restrictions concerning juveniles must be observed.
· Waterhazard class:	Water hazard class 1 (Self-assessment): slightly hazardous for water.
	SVHC) according to REACH, Article 57
None of the ingredients is listed.	
· 15.2 Chemical safety	
assessment:	A Chemical Safety Assessment has not been carried out.
SECTION 16: Other information	resent knowledge. However, this shall not constitute a guarantee for any spe
SECTION 16: Other information This information is based on our p	resent knowledge. However, this shall not constitute a guarantee for any spe blish a legally valid contractual relationship. H302 Harmful if swallowed.
SECTION 16: Other information This information is based on our p product features and shall not estal • Relevant phrases	resent knowledge. However, this shall not constitute a guarantee for any spe blish a legally valid contractual relationship. H302 Harmful if swallowed. H319 Causes serious eye irritation.
SECTION 16: Other information This information is based on our p product features and shall not estal	resent knowledge. However, this shall not constitute a guarantee for any spee blish a legally valid contractual relationship. H302 Harmful if swallowed. H319 Causes serious eye irritation. Laboratory RID: Règlement international concernant le transport des marchandises dangereuses par chem fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (Euro Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration, f8ACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4
SECTION 16: Other information This information is based on our p product features and shall not estal • <u>Relevant phrases</u> • <u>Department issuing SDS:</u>	resent knowledge. However, this shall not constitute a guarantee for any spee blish a legally valid contractual relationship. H302 Harmful if swallowed. H319 Causes serious eye irritation. Laboratory RID: Règlement international concernant le transport des marchandises dangereuses par chem fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (Euro Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods INDCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent DBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern VPVB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
SECTION 16: Other information This information is based on our p product features and shall not estal • Relevant phrases • Department issuing SDS: • Abbreviations and acronyms:	resent knowledge. However, this shall not constitute a guarantee for any spe blish a legally valid contractual relationship. H302 Harmful if swallowed. H319 Causes serious eye irritation. Laboratory RID: Règlement international concernant le transport des marchandises dangereuses par chem fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (Euro Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4