

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.06.2022

Version number 6 (replaces version 5)

Revision: 30.06.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **ARA DURASIL® W15 plus**
SDB-Nr. 001-002-00107

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Construction chemicals
 Silicate sealing

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: ARA Chemie GmbH
 Weiershagener Straße 18
 51674 Wiehl

Tel.: +49 (0) 2262-71717-0
 e-mail: msds@ara-chemie.de

Further information obtainable from:

Laboratory

1.4 Emergency telephone number:

refer to manufacturer/supplier
 Informationszentrale gegen Vergiftungen
 Universitätsklinikum Bonn
 Tel. 0228-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Void

Hazard pictograms

Void

Signal word

Void

Hazard-determining components of labelling:

Not applicable.

Hazard statements

Void

Additional information:

Contains 2-octyl-2H-isothiazol-3-one, trimethoxyvinylsilane. May produce an allergic reaction.
 Safety data sheet available on request.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Sealant
 Mixture: consisting of the following components.

Dangerous components:

37859-55-5	O, O', O'' -(methylsilyldi)trioxime 2-pentanone	0-5%
	Acute Tox. 4, H302; Acute Tox. 4, H312; Eye Irrit. 2, H319	

(Contd. on page 2)

EU

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.06.2022

Version number 6 (replaces version 5)

Revision: 30.06.2022

Trade name: ARA DURASIL® W15 plus
SDB-Nr. 001-002-00107

(Contd. of page 1)

2768-02-7	trimethoxyvinylsilane Flam. Liq. 3, H226 Acute Tox. 4, H332; Skin Sens. 1B, H317	0-<1%
26530-20-1	2-octyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330 Skin Corr. 1, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100) Skin Sens. 1A, H317 EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	<1%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- General information: Take affected persons out of danger area and lay down.
Seek medical treatment.
Immediately remove any clothing soiled by the product.
Personal protection for the First Aider.
- After inhalation: Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting; call for medical help immediately.
Rinse out mouth and then drink plenty of water.
Seek medical treatment.

· 4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents:

Water with full jet

· 5.2 Special hazards arising from the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:
 Carbon monoxide (CO)
 Nitrogen oxides (NO_x)
 Siliziumoxide
 Formaldehyde

· 5.3 Advice for firefighters

- Protective equipment: Wear self-contained respiratory protective device.
Do not inhale explosion gases or combustion gases.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.06.2022

Version number 6 (replaces version 5)

Revision: 30.06.2022

Trade name: ARA DURASIL® W15 plus
SDB-Nr. 001-002-00107

(Contd. of page 2)

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
 Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation
 Wear protective clothing.
 Particular danger of slipping on leaked/spilled product.

· 6.2 Environmental precautions:

In case of seepage into the ground inform responsible authorities.
 Keep contaminated washing water and dispose of appropriately.
 Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Allow to solidify. Pick up mechanically.
 Send for recovery or disposal in suitable receptacles.
 Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Use only in well ventilated areas.
 No special precautions are necessary if used correctly.

· Information about fire - and explosion protection:

No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.
 Prevent any seepage into the ground.

· Information about storage in one common storage facility:

VCI-Konzept für die Zusammenlagerung von Chemikalien beachten.
 Store away from foodstuffs.
 Store away from oxidising agents.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.
 Protect from frost.

· Storage class:

11

· 7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS-Nr. 112945-52-5 Amorphes pyrogenes Siliciumdioxid
 AGW (Einatembare Fraktion) 4 mg/m³ (Siliciumdioxid) DE TRGS 900

2768-02-7 trimethoxyvinylsilane

TLV-ACGIH	Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm
-----------	---

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.06.2022

Version number 6 (replaces version 5)

Revision: 30.06.2022

Trade name: ARA DURASIL® W15 plus
SDB-Nr. 001-002-00107

(Contd. of page 3)

· DNELs**37859-55-5 O, O', O'' -(methylsilyldiylne)trioxime 2-pentanone**

Oral	DNEL (Kurzzeit-akut)	0.375 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	0.033 mg/kg bw/day (BEV)
Dermal	DNEL (Kurzzeit-akut)	0.033 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	0.065 mg/kg bw/day (ARB)
		0.033 mg/kg bw/day (BEV)
Inhalative	DNEL (Langzeit-wiederholt)	0.2292 mg/m ³ Air (ARB)
		0.057 mg/m ³ Air (BEV)

2768-02-7 trimethoxyvinylsilane

Oral	DNEL (Langzeit-wiederholt)	0.1 mg/kg bw/day (BEV)
Dermal	DNEL (Kurzzeit-akut)	0.2 mg/kg bw/day (ARB)
		0.1 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	0.2 mg/kg bw/day (ARB)
Inhalative		0.1 mg/kg bw/day (BEV)
	DNEL (Kurzzeit-akut)	4.9 mg/m ³ Air (ARB)
		93.4 mg/m ³ Air (BEV)
	DNEL (Langzeit-wiederholt)	2.6 mg/m ³ Air (ARB)
		0.7 mg/m ³ Air (BEV)

· PNECs**37859-55-5 O, O', O'' -(methylsilyldiylne)trioxime 2-pentanone**

PNEC (wässrig)	2.15 mg/l (KA)
	0.01 mg/l (MW)
	0.1 mg/l (SW)
PNEC (fest)	0.044 mg/kg Trockengew (BO)
	0.057 mg/kg Trockengew (MWS)
	0.269 mg/kg Trockengew (SWS)

2768-02-7 trimethoxyvinylsilane

PNEC (wässrig)	6.6 mg/l (KA)
	0.036 mg/l (MW)
	0.36 mg/l (SW)
	2.4 mg/l (WAS)
PNEC (fest)	0.06 mg/kg Trockengew (BO)
	0.15 mg/kg Trockengew (MWS)
	1.5 mg/kg Trockengew (SWS)

· Additional information: The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· Appropriate engineering controls No further data; see item 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

· Respiratory protection:

Not necessary if room is well-ventilated.

Short term filter device:

Filter A/P2

· Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.06.2022

Version number 6 (replaces version 5)

Revision: 30.06.2022

Trade name: ARA DURASIL® W15 plus
SDB-Nr. 001-002-00107

(Contd. of page 4)

- After use of gloves apply skin-cleaning agents and skin cosmetics.
 The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- Material of gloves Butyl rubber, BR
 Chloroprene rubber, CR
 Nitrile rubber, NBR
 The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
 - Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
 The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.
 Value for the permeation: Level $\leq$ 480 min
 - For the permanent contact gloves made of the following materials are suitable: Butyl rubber, BR
 - As protection from splashes gloves made of the following materials are suitable: Butyl rubber, BR
 Nitrile rubber, NBR
 - Not suitable are gloves made of the following materials: Strong material gloves
 Leather gloves
 - Eye/face protection  Tightly sealed goggles
 - Body protection: Impervious protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

- General Information
- Physical state Fluid
- Colour: According to product specification
- Odour: Odourless
- Odour threshold: Not determined.
- Melting point/freezing point: -40 °C
- Boiling point or initial boiling point and boiling range Undetermined.
- Flammability Not applicable.
- Lower and upper explosion limit
- Lower: Not determined.
- Upper: Not determined.
- Flash point: >110 °C
- Decomposition temperature: Not determined.
- pH at 20 °C 7
- Viscosity:
- Kinematic viscosity at 20 °C >20.5 mm²/s
- Dynamic: Not determined.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.06.2022

Version number 6 (replaces version 5)

Revision: 30.06.2022

Trade name: ARA DURASIL® W15 plus
SDB-Nr. 001-002-00107

(Contd. of page 5)

· <u>Solubility</u>	
· <u>water:</u>	Not miscible or difficult to mix.
· <u>Partition coefficient n-octanol/water (log value)</u>	Not determined.
· <u>Vapour pressure:</u>	Not determined.
· <u>Density and/or relative density</u>	
· <u>Density at 20 °C:</u>	1-1.22 g/cm ³
· <u>Relative density</u>	Not determined.
· <u>Vapour density</u>	Not determined.

· **9.2 Other information**

· <u>Appearance:</u>	
· <u>Form:</u>	Pasty
· <u>Important information on protection of health and environment, and on safety.</u>	
· <u>Auto-ignition temperature:</u>	Product is not selfigniting.
· <u>Explosive properties:</u>	Product does not present an explosion hazard.
· <u>Solvent content:</u>	
· <u>Solids content:</u>	100.0 %
· <u>Change in condition</u>	
· <u>Evaporation rate</u>	Not determined.

· Information with regard to physical hazard classes

· <u>Explosives</u>	Void
· <u>Flammable gases</u>	
	Void
· <u>Aerosols</u>	
	Void
· <u>Oxidising gases</u>	
	Void
· <u>Gases under pressure</u>	
	Void
· <u>Flammable liquids</u>	
	Void
· <u>Flammable solids</u>	
	Void
· <u>Self-reactive substances and mixtures</u>	
	Void
· <u>Pyrophoric liquids</u>	
	Void
· <u>Pyrophoric solids</u>	
	Void
· <u>Self-heating substances and mixtures</u>	
	Void

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.06.2022

Version number 6 (replaces version 5)

Revision: 30.06.2022

Trade name: ARA DURASIL® W15 plus
SDB-Nr. 001-002-00107

(Contd. of page 6)

· Substances and mixtures, which emit flammable gases in contact with water

· Oxidising liquids Void

· Oxidising solids Void

· Organic peroxides Void

· Corrosive to metals Void

· Desensitised explosives Void

Void

SECTION 10: Stability and reactivity

· **10.1 Reactivity** Stable under recommended transport or storage conditions

· **10.2 Chemical stability**

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· **10.3 Possibility of hazardous reactions**

Reacts with strong oxidising agents.

Toxic fumes may be released if heated above the decomposition point.

· **10.4 Conditions to avoid**

Heat, flames and other sources of ignition
moisture

· **10.5 Incompatible materials:**

strong oxidizing agents
bases
Acids

· **10.6 Hazardous decomposition products:**

Small quantities of formaldehyde may be formed

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	>45,320-123,400 mg/kg (rat)
Dermal	LD50	>80,000-200,000 mg/kg

37859-55-5 O, O', O'' -(methylsilyldiyn)trioxime 2-pentanone

Oral	LD50	1,133-1,234 mg/kg (rat)
	NOAEL	13 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rat)

2768-02-7 trimethoxyvinylsilane

Oral	LD50	6,899-7,120 mg/kg (rat) (OECD 401)
	NOAEL-Werte	250 mg/kg (rat) (OECD422)
Dermal	LD50	3,460 mg/kg (rabbit) (OECD 402)

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.06.2022

Version number 6 (replaces version 5)

Revision: 30.06.2022

Trade name: ARA DURASIL® W15 plus
SDB-Nr. 001-002-00107

(Contd. of page 7)

Inhalative	LC50/4h	16.8 mg/m ³ (rat) (OECD 403)
	LC50/4 h	16.8 mg/l (rat)
	NOAEC	0.058-1.7 mg/l (rat) (EPA OTS)
26530-20-1 2-octyl-2H-isothiazol-3-one		
Oral	LD50	125 mg/kg (ATE)
Dermal	LD50	311 mg/kg (ATE)
Inhalative	LC50/4 h	0.27 mg/l (ATE)

- Primary irritant effect: Do not get in eyes, on skin, or on clothing.
- Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- Serious eye damage/irritation: Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity:

37859-55-5 O, O', O'' -(methylsilyldiyl)trioxime 2-pentanone

EC50/48h	113 mg/l (daphnia magna)
EC50/72h	88 mg/l (Pseudokirchneriella subcapitata)
LC50/96h	113 mg/l (Oncorhynchus mykiss)

2768-02-7 trimethoxyvinylsilane

IC50/72h	210 mg/l (selenastrum capricornutum)
EC50/48h	169 mg/l (daphnia magna) (OECD 202)
EC10/5h	1,000 mg/l (pseudomonas putida)
EC50/8d	210 mg/l (Pseudokirchneriella subcapitata)
NOEC	28 mg/kg (daphnia magna) (OECD 211)
	25 mg/kg (Selenastrum capricornutum)
EC10	32 mg/l (selenastrum capricornutum)
LC50/96h	191 mg/l (Oncorhynchus mykiss) (OECD 203)

26530-20-1 2-octyl-2H-isothiazol-3-one

EC50/48h	0.32 mg/l (daphnia magna)
EC20/3h	7.3 mg/l (BES)
NOEC/21d	0.003 mg/l (daphnia magna)
EC50/72h	0.00129 mg/l (Navicula pelliculosa)
LC50/96h	0.047 mg/l (Oncorhynchus mykiss)

· 12.2 Persistence and degradability

Not easily biodegradable

· 12.3 Bioaccumulative potential

No further relevant information available.

· 12.4 Mobility in soil

No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· PBT:

Not applicable.

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.06.2022

Version number 6 (replaces version 5)

Revision: 30.06.2022

Trade name: ARA DURASIL® W15 plus
SDB-Nr. 001-002-00107

(Contd. of page 8)

- vPvB: Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- Additional ecological information:
- General notes: Do not allow product to reach ground water, water course or sewage system.
 Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- Recommendation Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
 Smaller quantities can be disposed of with household waste.

· European waste catalogue

07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 02 00	wastes from the MFSU of plastics, synthetic rubber and man-made fibres
07 02 17	waste containing silicones other than those mentioned in 07 02 16
08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01 00	packaging (including separately collected municipal packaging waste)
15 01 02	plastic packaging

- Uncleaned packaging:
- Recommendation: Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information

- **14.1 UN number or ID number**
- ADR, ADN, IMDG, IATA Void
- **14.2 UN proper shipping name**
- ADR, ADN, IMDG, IATA Void
- **14.3 Transport hazard class(es)**
- ADR, ADN, IMDG, IATA
- Class Void
- **14.4 Packing group**
- ADR, IMDG, IATA Void
- **14.5 Environmental hazards:**
- Marine pollutant: No
- **14.6 Special precautions for user** Not applicable.
- **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.
- Transport/Additional information: Not dangerous according to the above specifications.

(Contd. on page 10)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.06.2022

Version number 6 (replaces version 5)

Revision: 30.06.2022

Trade name: ARA DURASIL® W15 plus
SDB-Nr. 001-002-00107

(Contd. of page 9)

· UN "Model Regulation": Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances -
 ANNEX I

None of the ingredients is listed.

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.
 Employment restrictions concerning pregnant and lactating women must be observed.

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· VOC EU 0.0 g/l

· 15.2 Chemical safety
 assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Laboratory

· Date of previous version: 30.06.2022

· Version number of previous version: 5

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 ICAO: International Civil Aviation Organisation
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 DNEL: Derived No-Effect Level (REACH)

(Contd. on page 11)

EU

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.06.2022

Version number 6 (replaces version 5)

Revision: 30.06.2022

Trade name: ARA DURASIL® W15 plus
SDB-Nr. 001-002-00107

(Contd. of page 10)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1: Skin corrosion/irritation – Category 1

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1A: Skin sensitisation – Category 1A

Skin Sens. 1B: Skin sensitisation – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

25.03.2020

· Replaces version of:

EU